

RF Test Report

Report No.: AGC09377170501EE03

PRODUCT DESIGNATION : Tablet PC
BRAND NAME : Vonino
MODEL NAME : Pluri B7
CLIENT : Vonino Electronics (HK) Limited
DATE OF ISSUE : May. 10, 2017
STANDARD(S) : EN 301 511 V12.1.1: 2015-06
REPORT VERSION : V1.0

Attestation of Global Compliance (Shenzhen) Co., Ltd

CAUTION:

This report shall not be reproduced except in full without the written permission of the test laboratory and shall not be quoted out of context.



The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

Report Revise Record

Report Version	Revise Time	Issued Date	Valid Version	Notes
V1.0	/	May. 10, 2017	Valid	Re-certification Report

Note: The report of the model (Pluri B7) is based on the original report- No. AGC06327160803EE03, which was named after (K702X), with changed the basic information. The standard EN 301 511 V9.0.2: 2003-03 is updated into EN 301 511 V12.1.1: 2015-06. All the test data is updated into this new report.

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

TABLE OF CONTENTS

1. TEST REPORT CERTIFICATION.....	4
2. GENERAL INFORMATION	5
2.1. DESCRIPTION OF EUT.....	5
2.2. TYPE OF MOBILE STATION AND ADDITIONAL INFORMATION	6
3. IDENTIFICATION OF THE RESPONSIBLE TESTING LOCATION.....	7
4. MEASUREMENT UNCERTAINTY.....	9
5. TEST RESULT.....	10
5.1. APPLIED REFERENCE DOCUMENTS	10
5.2. TEST ENVIRONMENT/CONDITIONS	10
5.3. ITEMS USED IN THE TEST RESULTS LIST	10
5.4. TEST RESULTS LIST	11
APPENDIX A: PHOTOGRAPHS OF TEST SETUP	17

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

1. TEST REPORT CERTIFICATION

Applicant	Vonino Electronics (HK) Limited
Address	#1109, 11/F, Kowloon Center 33 Ashley Road, Tsim Sha Tsui, Kowloon, Hong Kong
Manufacturer	Vonino Electronics (HK) Limited
Address	#1109, 11/F, Kowloon Center 33 Ashley Road, Tsim Sha Tsui, Kowloon, Hong Kong
Product Designation	Tablet PC
Brand Name	Vonino
Test Model	Pluri B7
Date of test	May. 09, 2017 to May. 10, 2017
Deviation	None
Condition of Test Sample	Normal
Report Template	AGCRT-EC-2.5G2/RF

We, Attestation of Global Compliance (Shenzhen) Co., Ltd., for compliance with the requirements set forth in the European Standard ETSI EN 301 511 V12.1.1. The results of testing in this report apply to the product/system which was tested only. Other similar equipment will not necessarily produce the same results due to production tolerance and measurement uncertainties.

Tested By



Jeast Zhan(Zhan jiangdong)

May. 10, 2017


Reviewed By



Bart Xie(Xie Xiaobin)

May. 10, 2017

Approved By



 Solger Zhang(Zhang Hongyi)
 Authorized Officer

May. 10, 2017

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

2. GENERAL INFORMATION

2.1. DESCRIPTION OF EUT

2.1.1. FINAL EQUIPMENT BUILD STATUS

Details of technical specification refer to the description in follows:

Product Name	Tablet PC
Brand Name	Vonino
Test Model	Pluri B7
Product Type	GSM
Hardware Version	S706C-7731-D2(216)V1.0
Software Version	vonino_v1.4.0_20170503
Frequency Bands	<input checked="" type="checkbox"/> GSM 900 <input checked="" type="checkbox"/> DCS 1800 (EU Frequency) <input checked="" type="checkbox"/> GSM 850 <input checked="" type="checkbox"/> PCS1900 (none EU Frequency)
Modulation Mode	GMSK, 8PSK
Antenna Type	PIFA Antenna
Antenna Gain	1.0dBi
Power Class	GSM900: 4, DCS1800: 1
GSM Release Version	Rel-6
GPRS Class	Class 12
SIM Card Description	There are dual-SIM cards for GSM, just one for GSM/WCDMA and the other only for GSM.

2.1.2. PHOTOGRAPHS OF THE EUT

Please see APPENX 1 for photographs of the EUT.

2.1.3. IDENTIFICATION OF SAMPLES EUT

The EUT Identity consists of numerical and letter characters (see the table below), the first five numerical characters indicates the Type of the EUT defined by AGC, the next letter character indicates the test sample, and the following two numerical characters indicates the software version of the test sample.

SAMPLE A01

Sample Reference Number	A01
Manufacturer Name	Vonino Electronics (HK) Limited
Test Model	Pluri B7
Product Type	GSM
Frequency Bands	GSM 900: 880 -915 MHz (TX); 925 - 960 MHz (RX) DCS1800: 1710 -1785 MHz (TX); 1805-1880 MHz (RX)

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

2.2. TYPE OF MOBILE STATION AND ADDITIONAL INFORMATION

Table A.2: Type of Mobile Station (Re. ETSI EN 301 511 Annex A)

Item	Type of Mobile Station	Support	Mnemonic
1	HSCSD Multislot MS	NO	Type_HSCSD_Multislot
2	R-GSM MS	NO	Type_R-GSM
3	Support of GPRS Multislot class on the uplink	YES	Type_GPRS_Multislot_uplink
4	EGPRS	YES	Type_EGPRS
5	EGPRS capable of 8PSK in Uplink, of all Multislot classes	YES	Type_EGPRS_8PSK_uplink
6	ER-GSM MS	NO	Type-GSM
7	DLMC MS	NO	Type DLMC

Type A.3: Additional information (Re. ETSI EN 301 511 Annex A)

Item	Additional Information	Support	Mnemonic
1	Telephony	YES	TSPC_Serv_TS11
2	Permanent Antenna Connector	YES	TSPC_AddInfo_PermAntenna

Note: Telephony means make a phone call.

3. IDENTIFICATION OF THE RESPONSIBLE TESTING LOCATION

Test Site-1	Attestation of Global Compliance (Shenzhen) Co., Ltd
Location 1	2/F., Building 2, No.1-No.4, Chaxi Sanwei Technical Industrial Park, Gushu, Xixiang, Bao'an District, Shenzhen, Guangdong, China
Location-2	B112-B113, Building 12, Baoan Building Materials Center, No.1 of Xixiang Inner Ring Road, Baoan District, Shenzhen, Guangdong, P.R.China

Note: Blocking and spurious response test within the scope of TAF approval.

LIST OF EQUIPMENTS USED OF AGC

No.	Type	Manufacturer	S/N	Cal. Date	Cal. Due
1	H & T Chamber ETH225-40A	Test EQ	WIT-05121302	Feb.13,2017	Feb.12,2018
2	CMU200	R&S	120237	Feb.27,2017	Feb.26,2018
3	Wireless communication test set 8960	Agilent	GB46200384	July 18,2016	July 17,2017
4	Power Splitter 11636A	Agilent	34	Oct.10, 2016	Oct.09,2017
5	Attenuator FSC 96341	MA-CCM	2082-6192-06	Oct.10, 2016	Oct.09,2017
6	Vector Signal Generator SMU200A	R&S	104332	Oct.10, 2016	Oct.09,2017
7	VECTOR ANALYZER E4440A	Agilent	MY44303916	July 02,2016	July 01,2017
8	MXG Vector Signal Generator N5182A	AGILENT	MY50140530	Oct.10, 2016	Oct.09,2017
9	PSG Analog Signal Generator E8257D	AGILENT	MY45141029	Oct.10, 2016	Oct.09,2017
10	MXA Signal Analyzer N9020A	AGILENT	W1312-60196	Feb.27,2017	Feb.26,2018
11	Universal Switch Control Unit	JS TONSCEND	N/A	---	---
12	RF SHIELD BOX	R&S	1204.7008K02- 102590-EE	Feb.27,2017	Feb.26,2018
13	Programmable Power Supply PPT-1830	GW INSTRUK	EM907629	Aug.25,2016	Aug.24,2017
14	Vibration Source SCU-200	SUSHI	3000-40-07	Feb.23,2017	Feb.22,2018
15	Attenuator FSC 96341	MA-CCM	2082-6192-06	Oct.10, 2016	Oct.09,2017
16	EMI Test Receiver ESCI	R&S	100694	Feb.27,2017	Feb.26,2018
17	Double-Ridged Waveguide Horn Antenna 3117	ETS LINDGREN	00034609	Mar.01,2016	Feb.28,2018
18	Trilog Broadband Antenna VULB 9168	SCHWARZBECK	494	Mar.12,2016	Mar.11,2018

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

No.	Type	Manufacturer	S/N	Cal. Date	Cal. Due
19	LOOP ANTENNA SAS-562B	A.H	/	Mar.01,2016	Feb.28,2018
20	Artificial Mains Network ENV4200	R&S	101116	July.18,2016	July.17,2017
21	Artificial Mains Network ENV216	R&S	101242	July.18,2016	July.17,2017
22	Filter Bank Notch 1(880-915MHz)	MICRO-TRONICS	010	Feb.27,2017	Feb.26,2018
23	Filter Bank Notch 2(1710-1785MHz)	MICRO-TRONICS	009	Feb.27,2017	Feb.26,2018
24	Filter Bank Notch 3(1920-1980MHz)	MICRO-TRONICS	008	Feb.27,2017	Feb.26,2018

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

4. MEASUREMENT UNCERTAINTY

The uncertainty is calculated using the methods suggested in the "Guide to the Expression of Uncertainty in Measurement" (GUM) published by ISO.

- Uncertainty of Radio Frequency, $U_c = \pm 1 \times 10^{-5}$
- Uncertainty of total RF power, conducted, $U_c = \pm 1.5\text{dB}$
- Uncertainty of RF power density, conducted, $U_c = \pm 3\text{dB}$
- Uncertainty of spurious emissions, conducted, $U_c = \pm 3\text{dB}$
- Uncertainty of spurious emissions, radiated, $U_c = \pm 6\text{dB}$
- Uncertainty of Temperature: $\pm 1^\circ\text{C}$
- Uncertainty of Humidity: $\pm 5\%$
- Uncertainty of DC and low frequency voltages: $\pm 3\%$

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

5. TEST RESULT

5.1. APPLIED REFERENCE DOCUMENTS

Leading reference documents for testing:

No.	Identity	Document Title
1	ETSI EN 301 511	Global System for Mobile communications (GSM); Harmonized EN for mobile stations in the GSM 900 and GSM 1800 bands covering essential requirements under article 3.2 of the R&TTE directive (1999/5/EC)

Specific reference documents for testing:

No.	Identity	Document Title
2	ETSI TS 151 010-1	3 rd Generation Partnership Project; Technical Specification Group GSM/EDGE Radio Access Network Digital cellular telecommunications system (Phase 2+); Mobile Station (MS) conformance specification; Part 1: Conformance specification

5.2. TEST ENVIRONMENT/CONDITIONS

Normal Temperature (NT)	20 ... 25 °C
Relative Humidity	30 ... 75 %
Air Pressure	980 ... 1020 kPa
Adapter Test Model Name	VNA-0000001
Details of Power Supply (Rated Input)	AC100-240V, 50/60Hz, 0.3A
Details of Power Supply (Rated Output)	DC5.0V, 2.0A
Extreme Temperature	Low Temperature (LT) = -20°C High Temperature (HT) = 55°C
Extreme Voltage of the EUT	Normal Voltage= DC 3.70V Limit Voltage = DC 4.20V

Note: The Limit Voltage 4.20V was declared by manufacturer,
The EUT couldn't be operate normally with higher voltage.

5.3. ITEMS USED IN THE TEST RESULTS LIST

Terms in the column "Verdict" for the test results list of the section:

Verdict	Description
PASS	EUT passed this test case
FAIL	EUT failed this test case
INC.	EUT did not pass and did not fail this test case, therefore the verdict is inconclusive
N/A	Test case not applicable for the EUT, see the column "Note" for detailed

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

5.4. TEST RESULTS LIST

Table A.1: The EN Requirements Table (EN-RT) (Re. ETSI EN 301 511 Annex A) for SIM Card 1

Test Case (ETSI TS 151010-1)	Test Case (EN 301 511)	Parameter	GSM 900		GSM 1800		Note
			Sample	Result	Sample	Result	
12.1.1	4.2.12	Conducted spurious emissions - MS allocated a channel					
		NT / NV	A01	PASS	A01	PASS	
		NT / LV	A01	PASS	A01	PASS	
		NT / HV	A01	PASS	A01	PASS	
12.1.2	4.2.13	Conducted spurious emissions - MS in idle mode					
		NT / NV	A01	PASS	A01	PASS	
		NT / LV	A01	PASS	A01	PASS	
		NT / HV	A01	PASS	A01	PASS	
12.2.1	4.2.16	Radiated spurious emissions - MS allocated a channel					
		NT / NV	A01	PASS	A01	PASS	
		NT / LV	A01	PASS	A01	PASS	
		NT / HV	A01	PASS	A01	PASS	
12.2.2	4.2.17	Radiated spurious emissions - MS in idle mode					
		NT / NV	A01	PASS	A01	PASS	
		NT / LV	A01	PASS	A01	PASS	
		NT / HV	A01	PASS	A01	PASS	
13.1	4.2.1	Transmitter - Frequency error and phase error					
		NT / NV	A01	PASS	A01	PASS	
		LT / LV	A01	PASS	A01	PASS	
		LT / HV	A01	PASS	A01	PASS	
		HT / LV	A01	PASS	A01	PASS	
		HT / HV	A01	PASS	A01	PASS	
		Vibration X-axis	A01	PASS	A01	PASS	
		Vibration Y-axis	A01	PASS	A01	PASS	
13.2	4.2.2	Transmitter - Frequency error under multipath and interference conditions					
		NT / NV	A01	PASS	A01	PASS	
		LT / LV	A01	PASS	A01	PASS	
		LT / HV	A01	PASS	A01	PASS	
		HT / LV	A01	PASS	A01	PASS	

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

		HT / HV	A01	PASS	A01	PASS	
13.3	4.2.5	Transmitter output power and burst timing					
		NT / NV	A01	PASS	A01	PASS	
		LT / LV	A01	PASS	A01	PASS	
		LT / HV	A01	PASS	A01	PASS	
		HT / LV	A01	PASS	A01	PASS	
		HT / HV	A01	PASS	A01	PASS	
13.4	4.2.6	Transmitter - Output RF spectrum					
		NT / NV	A01	PASS	A01	PASS	
		LT / LV	A01	PASS	A01	PASS	
		LT / HV	A01	PASS	A01	PASS	
		HT / LV	A01	PASS	A01	PASS	
		HT / HV	A01	PASS	A01	PASS	
13.16.1	4.2.4	Frequency error and phase error in GPRS multislot configuration					
		NT / NV	A01	PASS	A01	PASS	
		LT / LV	A01	PASS	A01	PASS	
		LT / HV	A01	PASS	A01	PASS	
		HT / LV	A01	PASS	A01	PASS	
		HT / HV	A01	PASS	A01	PASS	
		Vibration X-axis	A01	PASS	A01	PASS	
		Vibration Y-axis	A01	PASS	A01	PASS	
13.16.2	4.2.10	Transmitter output power in GPRS multislot configuration					
		NT / NV	A01	PASS	A01	PASS	
		LT / LV	A01	PASS	A01	PASS	
		LT / HV	A01	PASS	A01	PASS	
		HT / LV	A01	PASS	A01	PASS	
		HT/HV	A01	PASS	A01	PASS	
13.16.3	4.2.11	Output RF spectrum in GPRS multislot configuration					
		NT / NV	A01	PASS	A01	PASS	
		LT / LV	A01	PASS	A01	PASS	
		LT / HV	A01	PASS	A01	PASS	
		HT / LV	A01	PASS	A01	PASS	
		HT/HV	A01	PASS	A01	PASS	

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

13.17.1	4.2.22	Frequency error and Modulation accuracy in EGPRS Configuration					
		NT / NV	A01	PASS	A01	PASS	
		LT / LV	A01	PASS	A01	PASS	
		LT / HV	A01	PASS	A01	PASS	
		HT / LV	A01	PASS	A01	PASS	
		HT/HV	A01	PASS	A01	PASS	
13.17.2	4.2.23	Frequency error under multipath and interference conditions in EGPRS Configuration					
		NT / NV	A01	PASS	A01	PASS	
		LT / LV	A01	PASS	A01	PASS	
		LT / HV	A01	PASS	A01	PASS	
		HT / LV	A01	PASS	A01	PASS	
		HT/HV	A01	PASS	A01	PASS	
13.17.3	4.2.24	EGPRS Transmitter output power					
		NT / NV	A01	PASS	A01	PASS	
		LT / LV	A01	PASS	A01	PASS	
		LT / HV	A01	PASS	A01	PASS	
		HT / LV	A01	PASS	A01	PASS	
		HT/HV	A01	PASS	A01	PASS	
13.17.4	4.2.25	Output RF spectrum in EGPRS configuration					
		NT / NV	A01	PASS	A01	PASS	
		LT / LV	A01	PASS	A01	PASS	
		LT / HV	A01	PASS	A01	PASS	
		HT / LV	A01	PASS	A01	PASS	
		HT/HV	A01	PASS	A01	PASS	
14.18.5	4.2.26	Blocking and spurious response in EGPRS configuration					
		NT / NV	A01	PASS	A01	PASS	
		LT / LV	A01	PASS	A01	PASS	
		LT / HV	A01	PASS	A01	PASS	
		HT / LV	A01	PASS	A01	PASS	
		HT/HV	A01	PASS	A01	PASS	
14.7.1	4.2.20	Blocking and spurious response – speech channels	A01	PASS	A01	PASS	

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

Table A.2: The EN Requirements Table (EN-RT) (Re. ETSI EN 301 511 Annex A) for SIM Card 2

Test Case (ETSI TS 151010-1)	Test Case (EN 301 511)	Parameter	GSM 900		GSM 1800		Note
			Sample	Result	Sample	Result	
12.1.1	4.2.12	Conducted spurious emissions - MS allocated a channel					
		NT / NV	A01	PASS	A01	PASS	
		NT / LV	A01	PASS	A01	PASS	
		NT / HV	A01	PASS	A01	PASS	
12.1.2	4.2.13	Conducted spurious emissions - MS in idle mode					
		NT / NV	A01	PASS	A01	PASS	
		NT / LV	A01	PASS	A01	PASS	
		NT / HV	A01	PASS	A01	PASS	
12.2.1	4.2.16	Radiated spurious emissions - MS allocated a channel					
		NT / NV	A01	PASS	A01	PASS	
		NT / LV	A01	PASS	A01	PASS	
		NT / HV	A01	PASS	A01	PASS	
12.2.2	4.2.17	Radiated spurious emissions - MS in idle mode					
		NT / NV	A01	PASS	A01	PASS	
		NT / LV	A01	PASS	A01	PASS	
		NT / HV	A01	PASS	A01	PASS	
13.1	4.2.1	Transmitter - Frequency error and phase error					
		NT / NV	A01	PASS	A01	PASS	
		LT / LV	A01	PASS	A01	PASS	
		LT / HV	A01	PASS	A01	PASS	
		HT / LV	A01	PASS	A01	PASS	
		HT / HV	A01	PASS	A01	PASS	
		Vibration X-axis	A01	PASS	A01	PASS	
		Vibration Y-axis	A01	PASS	A01	PASS	
13.2	4.2.2	Transmitter - Frequency error under multipath and interference conditions					
		NT / NV	A01	PASS	A01	PASS	
		LT / LV	A01	PASS	A01	PASS	
		LT / HV	A01	PASS	A01	PASS	
		HT / LV	A01	PASS	A01	PASS	
		HT / HV	A01	PASS	A01	PASS	
13.3	4.2.5	Transmitter output power and burst timing					
		NT / NV	A01	PASS	A01	PASS	
		LT / LV	A01	PASS	A01	PASS	
		LT / HV	A01	PASS	A01	PASS	
		HT / LV	A01	PASS	A01	PASS	
		HT / HV	A01	PASS	A01	PASS	

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

13.4	4.2.6	Transmitter - Output RF spectrum				
		NT / NV	A01	PASS	A01	PASS
		LT / LV	A01	PASS	A01	PASS
		LT / HV	A01	PASS	A01	PASS
		HT / LV	A01	PASS	A01	PASS
		HT / HV	A01	PASS	A01	PASS
13.16.1	4.2.4	Frequency error and phase error in GPRS multislot configuration				
		NT / NV	A01	PASS	A01	PASS
		LT / LV	A01	PASS	A01	PASS
		LT / HV	A01	PASS	A01	PASS
		HT / LV	A01	PASS	A01	PASS
		HT / HV	A01	PASS	A01	PASS
		Vibration X-axis	A01	PASS	A01	PASS
		Vibration Y-axis	A01	PASS	A01	PASS
13.16.2	4.2.10	Transmitter output power in GPRS multislot configuration				
		NT / NV	A01	PASS	A01	PASS
		LT / LV	A01	PASS	A01	PASS
		LT / HV	A01	PASS	A01	PASS
		HT / LV	A01	PASS	A01	PASS
		HT/HV	A01	PASS	A01	PASS
13.16.3	4.2.11	Output RF spectrum in GPRS multislot configuration				
		NT / NV	A01	PASS	A01	PASS
		LT / LV	A01	PASS	A01	PASS
		LT / HV	A01	PASS	A01	PASS
		HT / LV	A01	PASS	A01	PASS
		HT/HV	A01	PASS	A01	PASS
13.17.1	4.2.22	Frequency error and Modulation accuracy in EGPRS Configuration				
		NT / NV	A01	PASS	A01	PASS
		LT / LV	A01	PASS	A01	PASS
		LT / HV	A01	PASS	A01	PASS
		HT / LV	A01	PASS	A01	PASS
		HT/HV	A01	PASS	A01	PASS
13.17.2	4.2.23	Frequency error under multipath and interference conditions in EGPRS Configuration				
		NT / NV	A01	PASS	A01	PASS
		LT / LV	A01	PASS	A01	PASS
		LT / HV	A01	PASS	A01	PASS
		HT / LV	A01	PASS	A01	PASS
		HT/HV	A01	PASS	A01	PASS
13.17.3	4.2.24	EGPRS Transmitter output power				
		NT / NV	A01	PASS	A01	PASS

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

		LT / LV	A01	PASS	A01	PASS	
		LT / HV	A01	PASS	A01	PASS	
		HT / LV	A01	PASS	A01	PASS	
		HT/HV	A01	PASS	A01	PASS	
13.17.4	4.2.25	Output RF spectrum in EGPRS configuration					
		NT / NV	A01	PASS	A01	PASS	
		LT / LV	A01	PASS	A01	PASS	
		LT / HV	A01	PASS	A01	PASS	
		HT / LV	A01	PASS	A01	PASS	
		HT/HV	A01	PASS	A01	PASS	
14.18.5	4.2.26	Blocking and spurious response in EGPRS configuration					
		NT / NV	A01	PASS	A01	PASS	
		LT / LV	A01	PASS	A01	PASS	
		LT / HV	A01	PASS	A01	PASS	
		HT / LV	A01	PASS	A01	PASS	
		HT/HV	A01	PASS	A01	PASS	
14.7.1	4.2.20	Blocking and spurious response – speech channels	A01	PASS	A01	PASS	

Note: The worst test case is SIM Card 2.

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

APPENDIX A: PHOTOGRAPHS OF TEST SETUP
RADIATED SPURIOUS EMISSION TEST SETUP



-----END OF REPORT-----

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.